


JS102


Description

Segnapasso da interno, equipaggiati con power LED da 1W, corpo in alluminio


3100K
4100K


IP grade	IP54
Lumen	120lm
Watt	1,0W
Led Type	XPE
Brand Led	Osram
Ref.	120°
Power supply	350,0mA
Connection	Connettore
Hole	32mm
Packaging	Box
Warranty	2 years
Finishes	Cromato , Nichel Spazzolato , Bianco RAL9010

Technical drawing




Comparison of models

	Finishing	Input power supply	Number of LEDs	Color light	Ref.	Lumen	Watt	IP grade
JS102C351C00	Cromato	350,0mA	1	Warm White, 3100K	120°	120lm	1,0W	IP54
JS102C351N00	Cromato	350,0mA	1	Neutral White, 4100K	120°	120lm	1,0W	IP54

JS102CUSTOM		350,0mA	1		120°	120lm	1,0W	IP54
JS102H351C00	Nichel Spazzolato	350,0mA	1	Warm White, 3100K	120°	120lm	1,0W	IP54
JS102H351N00	Nichel Spazzolato	350,0mA	1	Neutral White, 4100K	120°	120lm	1,0W	IP54
JS102W351C00	Bianco RAL9010	350,0mA	1	Warm White, 3100K	120°	120lm	1,0W	IP54
JS102W351N00	Bianco RAL9010	350,0mA	1	Neutral White, 4100K	120°	120lm	1,0W	IP54

Photometry



Accessories

Accessories not included



APC006.350
Costant current LED driver 6W,
350mA, IP20



APC020.350
Alim. in corrente IP20, 350mA
(6-19 led)



DRV350.M
Convertitore DC/DC, Input
12Vdc, Output 350mA (1 led)



VMCONN3501
Multipla 6 posti 350mA con cavo
da 90cm

Alimentatori



APP003.350
Alim. in corrente IP67, 350mA
(1-3 led)

Controcasse



9800500021
Controcassa per famiglie Orseolo
e Scorpis